



SHEN ZHEN LEDSLE LIGHTING TECHNOLOGY CO., LTD

# Product Catalog

2024-2025

Web : [www.ledsle.com](http://www.ledsle.com)

E-mail: [info@ledsle.com](mailto:info@ledsle.com)

Tel : +86 13332900889 Happy Yang

Add : B319, No. 142 Songyu Road,  
Hongxing Community, Songgang Street,  
Bao'an District, Shenzhen, China



Wechat



Whatsapp

# Company Profile

LEDsle Lighting Technology Co., Ltd. is a modern and innovative high-tech enterprise specializing in the research, development, production, and sales of LED lighting products. Over the years, the company has evolved into a powerhouse with advanced manufacturing equipment and a highly experienced research and development team. Our primary product offerings encompass a diverse range, including various LED bulbs, fixtures, strips, and panel lights. The company takes pride in its commitment to quality, with products certified under UL, ETL, ERP, CE, UKCA, PSE, ROHS, FCC, BIS, and CB.


As a forward-thinking company, we provide comprehensive OEM/ODM services to meet the diverse needs of our clients. We strive to deliver cutting-edge LED lighting solutions that not only meet but exceed industry standards. Our dedication to innovation, quality, and customer satisfaction positions us as a leader in the ever-evolving LED lighting sector.




OFFICE



MEETING ROOM



TESTING



R&D




EXHIBITION



WORKSHOP



22:50  
SM9-03-29



SHIPMENT

# Certificates



## CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170907-E494426  
**Report Reference** E494426-20170906  
**Issue Date** 2017-SEPTEMBER-07

**Issued to:** SHENZHEN DA DANG JIA LIGHTING CO., LTD.  
 5 Floor B, A9 Building, Tianrui Industrial Park, No.35,  
 1 First Road Fuyuan, Fuhai Street, Bao'an District,  
 Shenzhen, China

**This is to certify that representative samples of**

LAMPS, SELF-BALLASTED, LIGHT-EMITTING-DIODE TYPE  
 Self-Ballasted Lamp, LED type, models G4-COB, G6.35-COB, LED JCD G4 3W 12V, LED JCD G4 3.5W 12V, LED JCD G6.35 3.5W 12V, LED MR11 G4\*0.7 12V 2W, LED MR16 G5.3\*1.5 12V 5W, G8-COB, G9-COB, G9-COB2, G8-2W, LEDJCD G8 3.5W 120V, LED G9 4W 120V, LED E12 4W 120V, LED JCD G8 3W 120V, LED GU10 120V 5W, LED JDR E26 120V 5W, LED PAR20 E26 120V 7W, LED PAR30 E26 120V 15W, LED PAR38 E26 120V 18W.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 1993 and CSA C22.2 No. 1993-17 - Self-Ballast Lamps and Lamp Adaptors

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

*Barbara*  
 Barbara Hernandez, Director North American Certification Program  
 UL LLC  
 Any information and documentation involving UL mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [www.ul.com/customer-service](http://www.ul.com/customer-service).

Page 1 of 1

## AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

**Applicant:** Shenzhen Dadangjia Lighting Company Limited  
**Manufacturer:** Shenzhen Dadangjia Lighting Company Limited

**Address:** 5F-B, A9 Building, Tianrui Industrial Park, No. 35, 1st Rd Fuyuan, Fuhai Street, Bao'an district Shenzhen  
**Address:** 5F-B, A9 Building, Tianrui Industrial Park, No. 35, 1st Rd Fuyuan, Fuhai Street, Bao'an district Shenzhen

**Country:** China  
**Country:** China

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Intertek Testing Services Shenzhen Limited Guangzhou Branch

**Control Number:** 5011200  
**Authorized by:** *Matthew Snyder*  
 for L. Matthew Snyder, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

**Standard(s):** Self-ballasted Lamps and Lamp Adaptors [UL 1993:2017 Ed.5+R26Mar2021]  
 Self-ballasted Lamps and Lamp Adaptors [CSA C22.2#1993:2017 Ed.3+U1,U2,US]

**Product:** LED Lamps

**Brand Name:** DA DANG JIA

**Models:** G9-2MC1, E12-2MC1, E17-2MC1, G9-2.5MC1, E12-2.5MC1, E17-2.5MC1, G9-2MS8, E12-2MS8, E17-2MS8, G9-2.5MS16, E12-2.5MS16, E17-2.5MS16, G9-4MS21, E12-4MS21, E17-4MS21, G9-4.5MS30, E12-4.5MS30, E17-4.5MS30, G9-5MS43, E12-5MS43, E17-5MS43, G9-5MS68, E12-5MS68, E17-5MS68, E26-6PS15, E26-6PS15, E26-8PS16, E26-10PS15, E12-6PS7, E26-6PS7, E26-7PS7, GU10-3PS7, GU10-3PS7, GU10-5LC1, GU10-7LC1 or GU10-3LS7, followed by up to two characters. G8-2SS20, GU10-3W-4SMD, G9-3MS43, G9-6MS30, G9-3MC1, G9-3.5MC1, E12-3MC1, E12-3.5MC1, E17-3MC1, E17-3.5MC1, E12-3MS43, E12-6MS30, E17-3MS43, E17-6MS30, GU10-3PS3A, GU10-3PS3B, GU10-3PS3C, G8-3MS43, G8-4MS21, G8-4.5MS30, G8-5MS43.

ATM for Report 190807057GZU-001 Page 1 of 1 ATM Issued: 13-Dec-2021  
 ED 16.3.16 (16-Oct-2021) Mandatory

## AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

**Applicant:** Shenzhen Dadangjia Lighting Company Limited  
**Manufacturer:** Shenzhen Dadangjia Lighting Company Limited

**Address:** 5F-B, A9 Building, Tianrui Industrial Park, No. 35, 1st Rd Fuyuan, Fuhai Street, Bao'an district Shenzhen  
**Address:** 5F-B, A9 Building, Tianrui Industrial Park, No. 35, 1st Rd Fuyuan, Fuhai Street, Bao'an district Shenzhen

**Country:** China  
**Country:** China

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Intertek Testing Services Shenzhen Limited Guangzhou Branch

**Control Number:** 5011200  
**Authorized by:** *Matthew Snyder*  
 for L. Matthew Snyder, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

**Standard(s):** Self-ballasted Lamps and Lamp Adaptors [UL 1993:2017 Ed.5+R26Mar2021]  
 Self-ballasted Lamps and Lamp Adaptors [CSA C22.2#1993:2017 Ed.3+U1,U2,US]

**Product:** LED Lamp

**Brand Name:** DA DANG JIA

**Models:** G4-2MC1, G4-2.5SC1, G4-1SC1, G4-1.5SC1, G4-2SC1, G4-4MS21, G4-4.5MS30, G4-5MS42, MR11-2PS8, MR16-3PS6, MR16-6PS6, MR16-6OC1, MR16-5LC1, MR16-7LC1 or MR16-3LS3, followed by up to two characters. G4-1.5SS24, G4-3SC1, G4-2.5MC1, G4-3MC1, G4-3.5MC1, G4-1.5SC1E, G4-2SC1E, G4-2.5SC1E, G4-3SC1E, G4-2.6MC1E, G4-3MC1E, G4-3.5MC1E, G4-3SS2, G4-1.5SS24D, G4-1CS2, G4-2MS8, G4-2.5MS18, G4-3MS42, G4-3SS48, G4-3SS48D, G4-3SS72, MR11-2MC1, MR11-3MC1, MR11-4MC1, MR11-5MC1.

ATM for Report 190807056GZU-001 Page 1 of 1 ATM Issued: 9-Dec-2021  
 ED 16.3.16 (16-Oct-2021) Mandatory

## AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

**Applicant:** Shenzhen Dadangjia Lighting Company Limited  
**Manufacturer:** Shenzhen Dadangjia Lighting Company Limited

**Address:** 6/F, Block E, ZhengChangDa Industry Park, JianAn Road, TangWei, FuYong, BaoAn District, ShenZhen  
**Address:** 6/F, Block E, ZhengChangDa Industry Park, JianAn Road, TangWei, FuYong, BaoAn District, ShenZhen

**Country:** China  
**Country:** China

**Contact:** Hugo Zhang  
**Contact:** Hugo Zhang

**Phone:** 15013843792  
**Phone:** 15013843792

**FAX:** -  
**FAX:** -

**Email:** ddjlighting@qq.com  
**Email:** ddjlighting@qq.com

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Intertek Testing Services Shanghai Limited

**Control Number:** 5011200  
**Authorized by:** *Dean Davidson*  
 for Dean Davidson, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

**Standard(s):** Self-Ballasted Lamps And Lamp Adaptors [UL 1993:2017 Ed.5+R:10May2017]  
 Self-Ballasted Lamps And Lamp Adaptors [CSA C22.2#1993:2017 Ed.2017+G1]

**Product:** Self-ballasted LED lamp

**Models:** G9-C01, G9-C03, G9-C12, G9-C14, G9-C15, G9-T01, G9-T02, G9-T03, G9-T04, G9-C11.

ATM for Report 170802439SHA-001 Page 1 of 1 ATM Issued: 11-May-2018  
 ED 16.3.15 (28-Apr-17) Mandatory

## 外观设计专利证书

证书号第 6029633 号

外观设计名称: LED 发光灯饰 (DP)

设计人: 张惠娟

专利号: ZL 2020 3 0545387.5

专利申请日: 2020 年 09 月 15 日

专利权人: 深圳市大当家居照明有限公司

地址: 518000 广东省深圳市宝安区福海街道新和社区福田一路3号大当工业园A5栋第五层B

授权公告日: 2021 年 06 月 11 日 授权公告号: CN 309605761 5

国家知识产权局根据中华人民共和国专利法及实施细则, 决定授予专利权, 颁发外观设计专利证书并登记簿予以公告, 专利权的保护期限为十年, 自申请日起算。

专利以年为单位续展, 续展应当在期限届满前, 向国家知识产权局提出, 每次续展期限不得超过十年, 且最长不得超过二十年。

局长 申长雨

2021 年 05 月 11 日

第 1 页 (共 2 页)

其他事项参见专利簿

## TEST REPORT 检测报告

Page 1 of 24 Report No. (报告编号): LCSA053022006R

**Applicant:** SHENZHEN DA DANG JIA LIGHTING CO., LTD.  
**委托方:** 深圳市大当家居照明有限公司

**Address:** 5 Floor B, A9 Building, Tianrui Industrial Park, No.35, 1 First Road Fuyuan, Fuhai Street, Bao'an District, Shenzhen, China  
**地址:** 深圳市宝安区福海街道新和社区福田一路 35 号大当工业园 A9 栋第五层 B

The following sample(s) and sample information was/were submitted and identified by/in the behalf of the applicant  
 以下测试之样品及样品信息由委托方提供并确认

**Sample Name(s):** G4 LED Bulb  
**样品名称:** G4 LED Bulb

**Trade Mark:** N/A  
**商标:** N/A

**Part No.:** G4-2SC1, G4-1SC1, G4-2SC1, G4-1SC1, G4-1.5SC1, G4-2.5SC1, G4-3SC1, G4-3.5SC1, G4-1.5SC1E, G4-1.5SC1E, G4-2.5SC1E, G4-3.5SC1E, G4-3.5MC1E, G4-3.5MC1E  
**样品型号:** G4-2SC1, G4-1SC1, G4-2SC1, G4-1SC1, G4-1.5SC1, G4-2.5SC1, G4-3SC1, G4-3.5SC1, G4-1.5SC1E, G4-1.5SC1E, G4-2.5SC1E, G4-3.5SC1E, G4-3.5MC1E, G4-3.5MC1E

**Sample Received Date:** 2022 年 05 月 30 日  
**样品接收日期:** 2022 年 05 月 30 日

**Testing Period:** May 30, 2022 - June 09, 2022  
**样品检测日期:** 2022 年 05 月 30 日 - 2022 年 06 月 09 日

**Date of Report:** June 09, 2022  
**报告发布日期:** 2022 年 06 月 09 日

**Test Requested:** As specified by client, to screen the 223 substances of very high concern (SVHC) under Regulation (EC) No 1907/2006/REACH, for the submitted sample(s).  
 根据客户要求, 参照法规(CE) No 1907/2006/REACH, 对所提交样品中 223 种高关注物质(SVHC)进行检测筛选。

**Test Method/Test Results:** Please refer to the following page(s).  
**检测方法/检测结果:** 请参见以下页。

**Summary:** According to the analytical results, concentrations of all tested SVHC (see the candidate list in Item 8.1(1)(c) in the submitted sample(s)).  
**摘要:** 根据分析结果, 所提交样品中所有 SVHC 物质(见候选清单)浓度小于 0.1%(w/w)。

Signed by/由: Young Laboratory Manager

## Attestation of Compliance

Reference No.: LCSR020723005E

**Applicant:** SHENZHEN DA DANG JIA LIGHTING CO., LTD.  
**Address:** 5 Floor B, A9 Building, Tian Rui Industrial Park, No.35, 1 First Road Fu Yuan, Zhan Chang Community, Fu Hai Street, Bao An District, Shenzhen, Guangdong

**Trade Mark:** N/A  
**Product:** G4 LED Bulb  
**Model(s):** See Model list

**Tested according to:** EN IEC 60515:2019+A11:2020  
 EN IEC 61000-3-2:2019+A1:2021  
 EN IEC 61000-3-2:2019+A1:2019+A2:2021  
 EN 61547:2009

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the Council Directive 2014/30/EU. Referenced to as the Electromagnetic Compatibility. It confirms that the listed product complies with all essential requirements of the EMC directive and applies only to the sample and its technical documentation submitted to Shenzhen Shenzhen LCS Compliance Testing Laboratory Ltd for testing.

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.

**CE**

Date of issue: February 10, 2023

Shenzhen Shenzhen LCS Compliance Testing Laboratory Ltd  
 10/201, 30 Building, Hengsheng Industrial Zone, Hengsheng Community, Hahai Street, Guangming District, Shenzhen, China  
 Tel: 0086-755-26874021 Fax: 0086-755-26874021  
<http://www.lcs-test.com> Email: [info@lcs-test.com](mailto:info@lcs-test.com)



# Wifi/Bluetooth Smart Light Bulbs

Powered By



Intelligence  
Inside



## Specification

Input Voltage: AC 220 - 240V  
AC 110 - 130V  
AC/DC 12V  
Power Consumption : 3 - 8W

Lumens : 0 - 700lm  
Dimmable: Yes  
CCT : 2700-6500K / RGBW  
Support : Tuya-Wifi / Bluetooth

## Similar items



# Halogen Replacement Series



## Warm White

Standard color of incandescent bulbs



## Natural White

Good for kitchens and work spaces



## Cool White

Good for reading

- For use in ceiling lights, paedant lights, desk lamps, table lights, puck lights, under-counter lights, closet lights, under-cabinet lights, accent lights or display lighting etc.
- EPISTAR COB LED chip, 360 degree wide beam LED bulb
- LED lifetime 30,000 hours



Model No.	G4-2.5SC1E	G4-3SS48D	G4-2SC1E	G4-2.5MC1E	G4-3.5MC1E
CRI(Ra)	≥80	≥80	≥80	≥80	≥80
Input Voltage	AC/DC 12V	AC/DC 12V	AC/DC 12V	AC/DC 12V	AC/DC 12V
Watt(w)	2.0W	2.0W	1.6W	2.5W	3.5W
Lumens(lm)	200	200	180	250	350
Beam Angle	360°	360°	360°	360°	360°
CCT	2700-3000K, 4000-4500K, 6000-7000K				
Dimmable	Yes	Yes	Yes	Yes	Yes
Material	Silicon	Silicon	Silicon	Silicon	Silicon
Size(mm)	Dia13.5xH45	Dia13.5xH45	Dia12xH28	Dia12xH33	Dia11.5xH55
Weight(g)	2.4	2.3	3.2	3.8	4.6
Warranty	2 years	2 years	2 years	2 years	2 years

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +86 1332900889 Happy Yang

# Dimmable G9 LED Series



Intertek



FC

ERP

PSE

CE

UK  
CA



- Dimmable compatible with 95% dimmer
- Generates less heat than halogen bulb
- ETL CE UKCA ERP PSE certificates
- High Brightness LED light source
- Ecologically friendly
- 3-6W

0-100%

Dimmable

No Flicker



Model No.	G9-3MS43	G9-4MS21	G9-4.5MS30	G9-6MS45	G9-6MS21
CRI(Ra)	≥80	≥80	≥80	≥80	≥80
Input Voltage	AC 120V/220V	AC 120V/220V	AC 120V/220V	AC 120V/220V	AC 120V/220V
Watt(w)	3.0W	4.0W	4.5W	5.5W	6.0W
Lumens(lm)	300	400	450	500	550
Beam Angle	360°	360°	360°	360°	360°
CCT	2700-3000K, 4000-4500K, 6000-7000K				
Dimmable	Yes	Yes	Yes	Yes	Yes
Material	Ceramic+PC	Ceramic+PC	Ceramic+PC	Ceramic+PC	Ceramic+PC
Size(mm)	Dia18xH51	Dia18xH57	Dia18xH57	Dia18xH72	Dia26xH58
Weight(g)	12.0	16.0	16.9	16.9	18.9
Warranty	2 years	2 years	2 years	2 years	2 years

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +86 1332900889 Happy Yang

# Halogen Replacement Series



## 3MS42-43 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10/3156/7 BA15S/BA15D/BAY15D	AC/DC12V	3W	300LM	Yes	≥80	360°	∅18x41-61mm	2700-6500K	42pcs SMD2835
G8/G9 E12/E14/E17	AC120/220V	3W	300LM	Yes	≥80	360°	∅18x50-53mm	2700-6500K	43pcs SMD2835



## 4MS21 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10 BA15S/BA15D/BAY15D	AC/DC12V	4W	500LM	Yes	≥80	360°	∅18x47-57mm	2700-6500K	21pcs SMD2835
G8/G9/E11 E12/E14/E17	AC120/220V	4W	400LM	Yes	≥80	360°	∅18x47-57mm	2700-6500K	21pcs SMD2835



## 4.5MS30 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10 BA15S/BA15D/BAY15D	AC/DC12V	4W	500LM	Yes	≥80	360°	∅18x47-57mm	2700-6500K	30pcs SMD2835
G8/G9/E11 E12/E14/E17	AC120/220V	4W	400LM	Yes	≥80	360°	∅18x47-57mm	2700-6500K	30pcs SMD2835



## 5MS42-43 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10 BA15S/BA15D/BAY15D	AC/DC12V	4.5W	550LM	Yes	≥80	360°	∅18x47-57mm	2700-6500K	42pcs SMD2835
G8/G9/E11 E12/E14/E17	AC120/220V	4.5W	450LM	Yes	≥80	360°	∅18x47-57mm	2700-6500K	43pcs SMD2835

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +86 1332900889 Happy Yang

# Halogen Replacement Series



## 4MS45 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10/3156/7 BA15S/BA15D/BAY15D	AC/DC12V	4W	400LM	Yes	≥80	360°	∅18x57-66mm	2700-6500K	45pcs SMD4014
G8/G9 E12/E14/E17	AC120/220V	4W	400LM	Yes	≥80	360°	∅18x57-66mm	2700-6500K	45pcs SMD4014



## 6MS45 Non-dimmable SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10 BA15S/BA15D/BAY15D	AC/DC12V	5.5W	600LM	No	≥80	360°	∅18x41-61mm	2700-6500K	45pcs SMD2835
G8/G9/E11 E12/E14/E17	AC120/220V	5.5W	550LM	No	≥80	360°	∅18x50-53mm	2700-6500K	45pcs SMD2835



## 6MS45 Dimmable SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10 BA15S/BA15D/BAY15D	AC/DC12V	5.5W	600LM	Yes	≥80	360°	∅18x61-72mm	2700-6500K	45pcs SMD2835
G8/G9/E11 E12/E14/E17	AC120/220V	5.5W	500LM	Yes	≥80	360°	∅18x61-72mm	2700-6500K	45pcs SMD2835



## 6MS30 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/GY6.35/T10 BA15S/BA15D/BAY15D	AC/DC12V	6W	600LM	Yes	≥80	360°	∅18x51-66mm	2700-6500K	30pcs SMD2835
G8/G9/E11 E12/E14/E17	AC120/220V	6W	550LM	Yes	≥80	360°	∅18x51-66mm	2700-6500K	30pcs SMD2835



# Halogen Replacement Series



## 2MC1 COB/2.5MS18 SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/G9 E12/E14/E17	AC/DC12V AC120/220V	1.6W	160LM	Yes	≥80	360°	∅18x38-46mm	2700-6500K	1pcs COB
G4/G9 E12/E14/E17	AC/DC12V AC120/220V	2.5W	230LM	Yes	≥80	360°	∅18x42-51mm	2700-6500K	20pcs SMD4014



## 2.5MC1/3.5MC1 COB Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G4/G9 E12/E14/E17	AC/DC12V AC120/220V	2.5W	250LM	Yes	≥80	360°	∅18x42-51mm	2700-6500K	1pcs COB
G4/G9 E12/E14/E17	AC/DC12V AC120/220V	3.5W	350LM	Yes	≥80	360°	∅18x54-66mm	2700-6500K	1pcs COB



## COB Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G9/E14/E17	AC120/220V	2W	200LM	Yes	≥80	360°	∅18x47-54mm	2700-6500K	1pcs COB
G9/E14/E17	AC120/220V	3W	300LM	Yes	≥80	360°	∅18x57-60mm	2700-6500K	1pcs COB
G9/E14/E17	AC120/220V	2W	200LM	Yes	≥80	360°	∅18x57-60mm	2700-6500K	4pcs COB



## SMD Series

Base	Voltage	Power(W)	Lumen Flux	Dimmable	CRI(Ra)	Beam Angle	Dimension	CCT	Light Source
G9/E14/E17	AC120/220V	1W	100LM	Yes	≥80	360°	∅18x47-54mm	2700-6500K	6pcs SMD2835
G9/E14/E17	AC120/220V	1.5W	150LM	Yes	≥80	360°	∅18x47-54mm	2700-6500K	8pcs SMD2835
G9/E14/E17	AC120/220V	2.5W	230LM	Yes	≥80	360°	∅18x57-60mm	2700-6500K	32pcs SMD2835

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +86 1332900889 Happy Yang

# Halogen Replacement Series



G4-1.5W-COB  
1W AC/DC12V  
100lm Dimmable



G4-1SC1E  
1W AC/DC12V  
100lm Dimmable



G4-1W-COB  
1W AC/DC12V  
100lm Dimmable



G1-1SC1  
1W AC/DC12V  
100lm Dimmable



G4-1SS24D  
1.6W AC/DC12V  
160lm Dimmable



G4-1.5SC1E  
1.6W AC/DC12V  
160lm Dimmable



G4-2W-COB  
1.6W AC/DC12V  
160lm Dimmable



G4-1.5SC1  
1.6W AC/DC12V  
160lm Dimmable



G4-2SC1  
1.6W AC/DC12V  
160lm Dimmable



G4/GY6.35-C01  
1.6W AC/DC12V  
160lm Dimmable



G9-C01  
1.5W AC120/220V  
160lm Dimmable



G9-C04  
1.5W AC120/220V  
160lm Dimmable



G4-2MC1  
1.8W AC/DC12V  
180lm Dimmable



G4-2SC1E  
1.6W AC/DC12V  
180lm Dimmable



G9-C03  
1.8W AC120/220V  
180lm Dimmable



E14-C03  
1.8W AC120/220V  
180lm Dimmable



E17-C03  
1.8W AC120/220V  
180lm Dimmable



G9-C02  
2.5W AC120/220V  
250lm Dimmable



G4/GY6.35-2.5SC1  
2.5W AC/DC12V  
250lm Dimmable



G4-2.5MC1E  
2.5W AC/DC12V  
250lm Dimmable

# Halogen Replacement Series



G4-1.5SC1E  
2W AC/DC12V  
200lm Dimmable



G4-2.5W-COB  
2.5W AC/DC12V  
250lm Dimmable



G4-2.5W-COBE  
2.5W AC/DC12V  
250lm Dimmable



G4-3MC1  
2.5W AC/DC12V  
250lm Dimmable



G9-3MC1  
2.5W AC120/220V  
250lm Dimmable



G4-3.5MC1E  
3.5W AC/DC12V  
350lm Dimmable



G4-1W-6SMD  
1W AC/DC12V  
70lm Dimmable



G4-1.5-12SMD  
1.2W AC/DC12V  
100lm Dimmable



G4-2W-12SMD  
1.8W AC/DC12V  
200lm Dimmable



G4/GY6.35-3SS48D  
2.5W AC/DC12V  
250lm Dimmable



G4-3SS48D  
2W AC/DC12V  
200lm Dimmable



G4-1.5W-24SMD DC  
1.2W AC/DC12V  
100lm Non-dimmable



G4-1.5W-24SMD  
1.2W AC/DC12V  
100lm Dimmable



G4-1.2SS24  
1.2W AC/DC12V  
100lm Dimmable



G4-3W-48SMD DC  
1.3W AC/DC12V  
130lm Non-dimmable



G4-3W-48SMD  
1.8W AC/DC 12V  
180lm Dimmable



G4-2SS8  
1.5W AC/DC12V  
150lm Dimmable



G8-2SS8  
1.5W AC120/220V  
150lm Non-dimmable



G8-2SS16  
2W AC120/220V  
200lm Non-dimmable



G4-2SS16  
2W AC/DC 12V  
200lm Dimmable

# Halogen Replacement Series



G4-2.5SS20  
2.5W AC/DC12V  
250lm Dimmable



G4-3SS32  
2.3W AC/DC12V  
230lm Dimmable



G4/GY6.35-3W-48SMD  
2.5W AC/DC12V  
250lm Dimmable



G4-3SS32  
3W AC120/220V  
300lm Dimmable



G4/GY6.35-5W-72SMD  
3W AC/DC12V  
300lm Dimmable



G4-1CS2  
1W AC/DC12V  
100lm Dimmable



G4/G6.35-3SS48  
2.5W AC120/220V  
250lm Dimmable



G9-T02  
2.5W AC120/220V  
250lm Dimmable



G4/GY6.35-5W-51SMD  
3W AC/DC12V  
300lm Non-dimmable



G9-5W-51SMD  
3W AC120/220V  
300lm Non-dimmable



G9-2.5MS28  
2.5W AC120/220V  
250lm Non-dimmable



G9-3MS40  
3W AC120/220V  
200lm Dimmable



G9-C12  
5W AC120/220V  
500lm Dimmable



G9-C13  
5W AC120/220V  
500lm Dimmable



G9-T09  
3W AC120/220V  
300lm Dimmable



T10-1W-6SMD  
1W AC/DC12V  
80lm Dimmable



T10-2SS8  
1.5W AC/DC12V  
150lm Dimmable



T10-3MS21  
2W AC/DC12V  
200lm Non-dimmable



BA15-3W-48SMD  
2.5W AC/DC12V  
250lm Dimmable



BA15-3W-33SMD  
3W AC/DC12V  
300lm Non-dimmable

# Halogen Replacement Series



MR11-2PS3  
2.2W AC/DC12V  
210lm Dimmable



MR11-2MC1  
2.2W AC/DC12V  
200lm Dimmable



MR11-3MC1  
3.5W AC/DC12V  
350lm Dimmable



MR11-4MC1  
4W AC/DC12V  
380lm Dimmable



MR11-2PS3E  
3.5W AC/DC12V  
350lm Dimmable



MR16-5PSE38  
5W AC/DC12V  
450lm Dimmable



MR16-5PS6  
5W AC/DC12V  
450lm Dimmable



MR16-5GC1  
5W AC/DC12V  
450lm Dimmable



MR16-5LC1  
5W AC/DC12V  
450lm Dimmable



MR16-7LC1  
6.5W AC/DC12V  
580lm Dimmable



GU10-3W-4SMD  
3.5W AC120/220V  
350lm Dimmable



GU10-2.5W-4SMD  
2.5W AC120/220V  
200lm Dimmable



GU10-5PS7E38  
5W AC120/220V  
420lm Dimmable



GU10-4.5MS30  
5W AC120/220V  
420lm Dimmable



GU10-S03  
5W AC120/220V  
420lm Dimmable



E26-5PS701  
5W AC120/220V  
420lm Dimmable



E26-5PS702  
5W AC120/220V  
420lm Dimmable



E26-5PS7  
5W AC120/220V  
420lm Dimmable



E17-5PS7  
5W AC120/220V  
420lm Dimmable



GU10-8PS738  
8W AC120/220V  
650lm Dimmable

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +86 1332900889 Happy Yang



G4-COB  
1.7W AC/DC12V  
170lm Dimmable



G6.35-COB  
1.7W AC/DC12V  
170lm Dimmable




G8-COB  
1.7W AC120V  
170lm Dimmable




G9-COB  
1.7W AC120V  
170lm Dimmable



G9-COB2  
2.5W AC120V  
250lm Dimmable



LED JCD G4 3W 12V  
1.8W AC/DC12V  
180lm Dimmable



LED JCD G8 3W 120V  
1.8W AC120V  
180lm Dimmable



G8-2W  
2W AC120V  
200lm Non-Dimmable



LED JC G4 3.5W 12V  
3W AC/DC12V  
280lm Dimmable



LED JCD G6.35 3.5W 12V  
3W AC/DC12V  
280lm Dimmable



LED JCD G8 3.5W 120V  
3W AC120V  
280lm Dimmable



LED G9 3.5W 120V  
3W AC120V  
280lm Dimmable



LED E12 3.5W 120V  
3W AC120V  
280lm Dimmable



LED MR11 2W 12V  
3W AC/DC12V  
200lm Dimmable



LED MR16 5W 12V  
5W AC/DC12V  
400lm Dimmable



LED GU10 5W 120V  
5W AC120V  
400lm Non-dimmable



LED JDR E26 5W 120V  
5W AC120V  
400lm Non-dimmable



LED PAR20 E26 7W 120V  
7W AC120V  
600lm Non-dimmable



LED PAR20 E26 15W 120V  
15W AC120V  
900lm Non-dimmable



LED PAR20 E26 18W 120V  
18W AC120V  
1150lm Non-dimmable

# LED Filament Bulbs



C35 Candle  
230V / 120V  
2W/4W/6W/8W



C35 Tail  
230V / 120V  
2W/4W/6W/8W




G45 Clear  
230V / 120V  
2W/4W/6W



A60 Clear  
230V / 120V  
2W/4W/6W/8W



ST64 Clear  
230V / 120V  
2W/4W/6W/8W



C35 Candle  
230V / 120V  
2W/4W/6W/8W



C35 Tail  
1W AC/DC12V  
2W/4W/6W/8W



G45 Amber  
230V / 120V  
2W/4W/6W



A60 Amber  
230V / 120V  
2W/4W/6W/8W



ST64 Amber  
230V / 120V  
2W/4W/6W/8W



T45 Clear  
230V / 120V  
2W/4W/6W/8W



T30-125 Clear  
230V / 120V  
2W/4W/6W/8W



G80 Clear  
230V / 120V  
4W/6W/8W/10W



G95 Clear  
230V / 120V  
4W/6W/8W/10W



G125 Clear  
230V / 120V  
4W/6W/8W/10W



T45 Amber  
230V / 120V  
2W/4W/6W/8W



T30-125 Amber  
230V / 120V  
2W/4W/6W/8W



G80 Amber  
230V / 120V  
4W/6W/8W/10W



G95 Amber  
230V / 120V  
4W/6W/8W/10W



G125 Amber  
230V / 120V  
4W/6W/8W/10W

# LED Filament Bulbs



C35 Milky  
230V / 120V  
2W/4W/6W/8W



C35T Milky  
230V / 120V  
2W/4W/6W/8W



P45 Milky  
230V / 120V  
2W/4W/6W



G45 Milky  
230V / 120V  
2W/4W/6W/8W



A60 Milky  
230V / 120V  
2W/4W/6W/8W



G80 Milky  
230V / 120V  
4W/6W/8W/10W



G95 Milky  
1W AC/DC12V  
4W/6W/8W/10W



G125 Milky  
230V / 120V  
4W/6W/8W/10W



G125 Silver  
230V / 120V  
4W/6W/8W/10W



A60 Silver  
230V / 120V  
2W/4W/6W/8W



3D - JZ120  
230V / 120V  
4W



3D - WJX140  
230V / 120V  
4W



3D - PZ95  
230V / 120V  
4W



3D - G125  
230V / 120V  
4W



3D - A60  
230V / 120V  
4W



JZ120  
230V / 120V  
4W/6W/8W/10W



WJX140  
230V / 120V  
4W/6W/8W/10W



PZ95  
230V / 120V  
4W/6W/8W/10W



3D - AX110  
230V / 120V  
4W



3D - SDS90  
230V / 120V  
4W



# LED Filament Bulbs



BT150 - SL  
150MM\*H225MM  
4W/6W/8W/10W

BT150 - CM  
150MM\*H225MM  
4W/6W/8W/10W

A165S  
165MM\*H290MM  
4W/6W/8W/10W

A165  
165MM\*H290MM  
4W/6W/8W/10W

A165 - XW  
165MM\*H290MM  
4W/6W/8W/10W



A120S  
120MM\*H250MM  
4W/6W/8W/10W

A120  
120MM\*H250MM  
4W/6W/8W/10W

U120  
120MM\*H200MM  
4W/6W/8W/10W

BT150 - XHL  
150MM\*H250MM  
4W/6W/8W/10W

BT165  
165MM\*H290MM  
4W/6W/8W/10W



BT70  
70MM\*H270MM  
4W/6W/8W/10W

BT75  
75MM\*H330MM  
4W/6W/8W/10W

BT135  
135MM\*H290MM  
4W/6W/8W/10W

BT180  
180MM\*H360MM  
4W/6W/8W/10W

BT120  
120MM\*H450MM  
4W/6W/8W/10W



BT170  
170MM\*H410MM  
4W/6W/8W/10W

BT180  
180MM\*H245MM  
4W/6W/8W/10W

G200  
200MM\*H265MM  
4W/6W/8W/10W

DM200  
200MM\*H180MM  
4W/6W/8W/10W

# LED Corn Light Bulbs



SMD60D - 12W  
30MM\*H82MM  
3000K/4000K/6500K



SMD84D - 16W  
30MM\*H95MM  
3000/4000/6500K



SMD56D - 7W  
40MM\*H105MM  
3000/4000/6500K



SMD84D - 9W  
40MM\*H105MM  
3000/4000/6500K



SMD88D - 12W  
50MM\*H115MM  
3000/4000/6500K



SMD70D - 12W  
35MM\*H122MM  
3000K/4000K/6500K



SMD56D - 9W  
35MM\*H122MM  
3000K/4000K/6500K



SMD42D - 7W  
35MM\*H122MM  
3000K/4000K/6500K



SMD25D - 5W  
35MM\*H122MM  
3000K/4000K/6500K



SMD35D - 5W  
35MM\*H122MM  
3000K/4000K/6500K



SMD144D - 20W  
40MM\*H110MM  
3000K/4000K/6500K



SMD96D - 15W  
36MM\*H105MM  
3000K/4000K/6500K



SMD120D - 20W Milky  
35MM\*H117MM  
3000K/4000K/6500K



SMD120D - 20W Clear  
35MM\*H117MM  
3000K/4000K/6500K



SMD84D - 12W  
40MM\*H100MM  
3000K/4000K/6500K



SMD84D - 12W  
40MM\*H100MM  
3000K/4000K/6500K

# DOB LED Bulb Lights



C37 Candle- 5W  
37MM\*H100MM  
3000K/4000K/6500K



C35 Tail - 5W  
37MM\*H125MM  
3000K/4000K/6500K



C40 Candle- 5W  
40MM\*H100MM  
3000K/4000K/6500K



C40 Tail - 5W  
40MM\*H125MM  
3000K/4000K/6500K



C35 Candle - 6W  
37MM\*H100MM  
3000K/4000K/6500K



T37 - 9W  
37MM\*H116MM  
3000K/4000K/6500K



T45 - 12W  
45MM\*H132MM  
3000K/4000K/6500K



T50 - 15W  
50MM\*H148MM  
3000K/4000K/6500K



G50 E14 - 7W  
50MM\*H90MM  
3000K/4000K/6500K



G50 E27 - 7W  
50MM\*H90MM  
3000K/4000K/6500K



R63 - 9W  
61MM\*H85MM  
3000K/4000K/6500K



R63H - 9W  
61MM\*H101MM  
3000K/4000K/6500K



R80 - 12W  
80MM\*H114MM  
3000K/4000K/6500K



T50 - 5W  
50MM\*H98MM  
3000K/4000K/6500K



T60 - 10W  
60MM\*H114MM  
3000K/4000K/6500K



T70 - 15W  
70MM\*H125MM  
3000K/4000K/6500K



T80 - 20W  
80MM\*H140MM  
3000K/4000K/6500K



T100 - 30W  
100MM\*H170MM  
3000K/4000K/6500K



T125 - 40W  
125MM\*H215MM  
3000K/4000K/6500K



T140 - 50W  
140MM\*H225MM  
3000K/4000K/6500K

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +861332900889 Happy Yang



A60S - 7W  
60MM\*H108MM  
3000K/4000K/6500K



A60T - 9W  
60MM\*H108MM  
3000K/4000K/6500K



A60 - 9W  
60MM\*H110MM  
3000K/4000K/6500K



A65 - 12W  
65MM\*H124MM  
3000K/4000K/6500K



A70 - 15W  
70MM\*H131MM  
3000K/4000K/6500K



CP20 - 20W  
80MM\*H141MM  
3000K/4000K/6500K



CP30 - 30W  
100MM\*H164MM  
3000K/4000K/6500K



CP40 - 40W  
115MM\*H178MM  
3000K/4000K/6500K



CP50 - 50W  
120MM\*H196MM  
3000K/4000K/6500K



CP60 - 60W  
135MM\*H223MM  
3000K/4000K/6500K



PSK - 30W  
95MM\*H164MM  
3000K/4000K/6500K



ZHL - 40W  
115MM\*H200MM  
3000K/4000K/6500K



CP51 - 50W  
125MM\*H213MM  
3000K/4000K/6500K



ZHK - 60W  
140MM\*H224MM  
3000K/4000K/6500K



DGL - 150W  
178MM\*H280MM  
3000K/4000K/6500K



TF6012 (120W)  
3600mAh  
6500K



T8060 (60W)  
3000mAh  
6500K



USBZS (60W)  
1500mAh  
6500K



XY - 120 (50W)  
2400mAh  
6500K



S - 9010 (80W)  
3000mAh  
6500K

# Bamboo Lights Hanging



B5  
40 \* 23 CM  
MOQ 100PCS



B11  
60 \* 25 CM  
MOQ 100PCS



B7  
60 \* 27 CM  
MOQ 100PCS



B2  
60 \* 40 CM  
MOQ 100PCS



B17  
50 \* 35 CM  
MOQ 100PCS



B19  
50 \* 40 CM  
MOQ 100PCS



B27  
50 \* 38 CM  
MOQ 100PCS



B6  
30 \* 50 CM  
MOQ 100PCS



B10  
50 \* 50 CM  
MOQ 100PCS



B23  
50 \* 46 CM  
MOQ 100PCS



B21  
35 \* 40 CM  
MOQ 100PCS



B9  
23 \* 37 CM  
MOQ 100PCS



B37  
20 \* 29 CM  
MOQ 100PCS



B24  
40 \* 40 CM  
MOQ 100PCS



B37  
28 \* 45 CM  
MOQ 100PCS



B34  
50 \* 20 CM  
MOQ 100PCS



B18  
40 \* 30 CM  
MOQ 100PCS



B16  
36 \* 48 CM  
MOQ 100PCS



R54  
45 \* 40 CM  
MOQ 100PCS



R59  
40 \* 30 CM  
MOQ 100PCS

# Bamboo Pendant Lights



R1  
32 \* 32 CM  
MOQ 100PCS



R2  
50 \* 50 CM  
MOQ 100PCS



R36  
60 \* 30 CM  
MOQ 100PCS



R38  
60 \* 30 CM  
MOQ 100PCS



R39  
60 \* 50 CM  
MOQ 100PCS



R6  
50 \* 40 CM  
MOQ 100PCS



R7  
80 \* 60 CM  
MOQ 100PCS



R18  
60 \* 45CM  
MOQ 100PCS



R16  
50 \* 45 CM  
MOQ 100PCS



R40  
50 \* 60 CM  
MOQ 100PCS



R5  
35 \* 50 CM  
MOQ 100PCS



R8  
60 \* 30 CM  
MOQ 100PCS



R17  
35 \* 40 CM  
MOQ 100PCS



R28  
25 \* 40 CM  
MOQ 100PCS



R45  
30 \* 40 CM  
MOQ 100PCS



R3  
40 \* 60 CM  
MOQ 100PCS



R11  
35 \* 56 CM  
MOQ 100PCS



R15  
30 \* 70 CM  
MOQ 100PCS



R20  
20 \* 23 CM  
MOQ 100PCS



R21  
30 \* 38 CM  
MOQ 100PCS

# Bamboo Ceiling Lights



R25  
80 \* 80 CM  
MOQ 100PCS



R29  
80 \* 80 CM  
MOQ 100PCS



R30  
50 \* 45 CM  
MOQ 100PCS



R32  
40 \* 50 CM  
MOQ 100PCS



R23  
60 \* 45 CM  
MOQ 100PCS



R27  
60 \* 80 CM  
MOQ 100PCS



R44  
30 \* 50 CM  
MOQ 100PCS



R47  
33 \* 38CM  
MOQ 100PCS



R50  
30 \* 26 CM  
MOQ 100PCS



R14  
50 \* 30 CM  
MOQ 100PCS



R53  
40 \* 35 CM  
MOQ 100PCS



R54  
45 \* 40 CM  
MOQ 100PCS



R57  
45 \* 38CM  
MOQ 100PCS



R59  
40 \* 30 CM  
MOQ 100PCS



R52  
30 \* 36 CM  
MOQ 100PCS



R58  
40 \* 150 CM  
MOQ 100PCS



R55  
30 \* 50 CM  
MOQ 100PCS



R75  
50 \* 60 CM  
MOQ 100PCS



R76  
20 \* 40 CM  
MOQ 100PCS



R48  
15 \* 25 CM  
MOQ 100PCS

# Solar Lights



S01  
50W  
Solar Panel

S02  
100W  
Solar Panel

S03  
200W  
Solar Panel

S04  
300W  
Solar Panel

S05  
100W  
Solar Panel



S06  
100W  
Solar Panel

S07  
200W  
Solar Panel

S08  
100W  
Solar Panel

S09  
100W  
Solar Panel

S10  
100W  
Solar Panel



S11  
60W  
Solar Panel

S12  
120W  
Solar Panel

S13  
200W  
Solar Panel

S14  
300W  
Solar Panel

S15  
100W  
Solar Panel



S16  
200W  
Solar Panel

S17  
300W  
Solar Panel

S18  
400W  
Solar Panel

S19  
200W/400W/600W  
Solar Panel

S20  
100W/200W/300W  
Solar Panel

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)  
Mobile: +86 1332900889 Happy Yang



# Solar Lights



S21  
200W  
Solar Panel



S22  
300W  
Solar Panel



S23  
400W  
Solar Panel



S24  
500W  
Solar Panel



S25  
500W  
Solar Panel



S26  
300W  
Solar Panel



S27  
400W  
Solar Panel



S28  
500W  
Solar Panel



S29  
600W  
Solar Panel



S30  
400W/500W/600W  
Solar Panel



S31  
400W  
Solar Panel



S32  
500W  
Solar Panel



S33  
200W  
Solar Panel



S34  
300W  
Solar Panel



S35  
200W  
Solar Panel



S36  
500W  
Solar Panel



S37  
600W  
Solar Panel



S38  
200W  
Solar Panel



S39  
300W  
Solar Panel



S40  
400W  
Solar Panel

Web: [www.ledsle.com](http://www.ledsle.com) Email: [info@ledsle.com](mailto:info@ledsle.com)

Mobile: +86 1332900889 Happy Yang



F01 - 15W  
54.5 \* 34.5 CM  
MOQ 100PCS

F02 - 15W  
107 \* 41 CM  
MOQ 100PCS

F03 - 15W  
108 \* 35 CM  
MOQ 100PCS

F04 - 25W  
120 \* 43 CM  
MOQ 100PCS

F05 - 15W  
120 \* 43 CM  
MOQ 100PCS



F06 - 15W  
60 \* 43 CM  
MOQ 100PCS

F07 - 15W  
107 \* 41 CM  
MOQ 100PCS

F08 - 15W  
120 \* 43 CM  
MOQ 100PCS

F09 - 15W  
108 \* 29 CM  
MOQ 100PCS

F10 - 15W  
108 \* 29 CM  
MOQ 100PCS



F11 - 15W  
43 \* 40 CM  
MOQ 100PCS

F12 - 15W  
43 \* 40 CM  
MOQ 100PCS

F13 - 15W  
42 \* 37 CM  
MOQ 100PCS

F14 - 15W  
42 \* 37 CM - 15W  
MOQ 100PCS

F15 - 15W  
42 \* 37 CM  
MOQ 100PCS



F16 - 15W  
60 \* 43 CM  
MOQ 100PCS

F17 - 15W  
58 \* 35.5 CM  
MOQ 100PCS

F18 - 15W  
60 \* 43 CM  
MOQ 100PCS

F19 - 15W  
42 \* 37 CM  
MOQ 100PCS

F20 - 15W  
42 \* 37 CM  
MOQ 100PCS



F21 - 15W  
120 \* 43 CM  
MOQ 100PCS



F22 - 15W  
120 \* 43 CM  
MOQ 100PCS



F23 - 15W  
110 \* 39 CM  
MOQ 100PCS



F24 - 15W  
120 \* 43 CM  
MOQ 100PCS



F25 - 15W  
120 \* 43 CM  
MOQ 100PCS



F26 - 15W  
120 \* 43 CM  
MOQ 100PCS



F27 - 15W  
120 \* 43 CM  
MOQ 100PCS



F28 - 25W  
120 \* 43 CM  
MOQ 100PCS



F29 - 15W  
120 \* 43 CM  
MOQ 100PCS



F30 - 15W  
110 \* 63 CM  
MOQ 100PCS



F31 - 15W  
120 \* 43 CM  
MOQ 100PCS



F32 - 15W  
110 \* 63 CM  
MOQ 100PCS



F33 - 15W  
110 \* 63 CM  
MOQ 100PCS



F34 - 6W  
46 \* 23 CM  
MOQ 100PCS



F35 - 15W  
110 \* 63 CM  
MOQ 100PCS



F36 - 6W  
27.5 \* 23 CM  
MOQ 100PCS



F37 - 6W  
27.5 \* 23 CM  
MOQ 100PCS



F38 - 6W  
27.5 \* 23 CM  
MOQ 100PCS



F39 - 6W  
27.5 \* 23 CM  
MOQ 100PCS



F40 - 6W  
31.5 \* 27.5 CM  
MOQ 100PCS